



Our Products

# Swimming Pool Cover

Wholesale Swimming Pool Covers Including Electric Covers, Bubble Covers, & Safety Covers. Explore more!

Visit Now

[www.urgentb2b.com](http://www.urgentb2b.com)

# AUTOMATIC SWIMMING POOL COVER



## Automatic Pool Covers


### Specifications:

1. Materials: PC slats
2. Colors: Customized
3. Size: Customized
4. Installation methods: above ground/under water
5. Waterproof motor, 5 years warranty
6. Working Voltages: DC12V/24
7. Input Voltages: 110V to 240V, 50/60 Hz.
8. 3.5 inch big LCD display
9. Remote control
10. Packing: wood case.



### Features:

1. Safety, solar and winter cover, all-in-one
2. Pool chemicals effect lasts longer
3. Keep 8 to 10 °C of normal temperature, saves up to 70% on heating costs
4. Freeing up time from the pool cleaning, and maintain less, extends life of pool equipment
5. Reduces pool water evaporation
6. High-end PC materials, Anti-UV, anti-aging
7. High floating capacity with safety lock
8. Protective, anti-slip, good compression resistance, anti-dust.



Sloar, clear blue, ivory, light blue, beige, black, more colors are available...

Optional PC slats colors




## Installation Methods

### Above Ground Mounted




### Under Water Mounted



For more design & styles please contact our engineer.



## Applications



Pool Cover

## Automatic PVC soft covers



Pool Cover

## Manual soft covers



# POOL SAFETY COVER



- a: Tension Bar
- b: Spring
- c: Sleeve
- d: Wrench
- e: Tamping Tool
- f: Buckle
- g: Anchor



3/4-inch Diameter  
1.57-inch Depth

EASY TO INSTALL

## Swimming Pool Safety Covers

Properties	Pool Cover Fabric 1	Pool Cover Fabric 2
Fiber Content	100% polypropylene	100% polypropylene
Color	Green & black, blue & black, customized	Green & black, blue & black, customized
Construction	40X20	35X18
Finish	Calendered	Calendered
Weight ASTM D-5261	4.8oz/yd <sup>2</sup>	5.60z/yd <sup>2</sup>
Grab tensile ASTM D-4632	Wrap: 355 LBS Weft: 238 LBS	Wrap: 386 LBS Weft: 340 LBS
Trapezoid Tear ASTM D-4533	Wrap: 120 LBS Weft: 80 LBS	Wrap: 125 LBS Weft: 123 LBS
Water flow ASTM D-4491	79 gal/ft <sup>2</sup> /min	23 gal/ft <sup>2</sup> /min
Shade rate ASTM D-6567	95%	96%
UV Resistance ASTM D-4355	98% Retained(500hrs)	95% Retained(500hrs)
Width	49"55"61"67" 73"85"	49"55"61"67"73"85"
Roll Length	100yds,200yds	100yds,200yds
Safety Pool Cover Fabric can be customized.		



Taiyue safety pool cover is woven from polypropylene, a ultra-high strength, durability and stability woven fabric. We use a unique surface treatment technology to ensure the consistent appearance. Our pool cover is easy to installation and have a high shading density to reduce algae growth. The durable mesh pool cover have a variety of color: green/black, blue/black, tan/black, black, etc.

## Solar Cover Roller



ITEM NO	DESCRIPTION	T. Grooveless tube or Grooved tube	TUBE-DIAMETER LOAD CAPACITY	TUBE-LENGTH	ASSEMBLED-LENGTH	MAX
TY1-T	In-ground Pool Cover Reel WISS Flame	T81-3/170	81/76MM	3PCSX1.7M	3.4M-4.2M	70
		T81-3/215		3PCSX2.15M	4.3M-5.55M	70
		T81-3/244		3PCSX2.44M	4.9M-6.45M	68
		T81-3/270		3PCS X2.70M	5.4M-7.2M	65
		T81-3/320		3PCSX3.20M	6.4M-8.7M	65
TY1-U	In-ground Pool Cover Reel WISS Frame	U81-3/215	81/76MM	3PCSX 2.15M	4.3M-5.55M	70
		U81-3/244		3PCSX2.44M	4.9M-6.45M	68
		U102-3/215		3PCSX2.15M	4.3M-5.55M	70
		U102-3/244		3PCSX2.44M	4.9M-6.45M	68




A pool cover roller is a must-have accessory for your pool solar cover. This system makes removing your pool cover a breeze and helps prolong the life of your pool blanket. With a Roller System, putting the blanket on or off your pool will be simple, one person task which takes no longer than 30 seconds. For the pools, our roller is really a cost-effective, efficient and durable choice.

## Get In Touch!

Reach out to our team to get a quote or simply send us a message and we are ready to help you with anything with the expert and enthusiastic team available 24/7.

## Contact Information

 +86 13686890841

 [tina@urgentb2b.com](mailto:tina@urgentb2b.com)

 [www.urgentb2b.com](http://www.urgentb2b.com)